

ARC-LRTVB06W



2MP 4-in-1 Bullet Camera

Description

| | |
|--------------------------|-----------------------------------|
| Model NO. | ARC-LRTVB06W |
| Video Output Mode | TVI / AHD / CVI / CVBS |
| Camera | |
| Image Sensor | Sony |
| DSP | NVP2441H |
| Image Resolution | 1080P/960H |
| Effective Pixels | 2.1MP, 1920x1080 |
| TV System | PAL/NTSC |
| Electronic Shutter | 1/25s~1/50,000s , 1/30s~1/60,000s |
| S/N Ratio | ≥50dB |
| Scanning System | Progressive Scan |
| Lens | |
| Focus Length | 2.8-12mm |
| Focus Control | Manual |
| Lens Type | Manual |
| Pixels | 2M Pixels |
| Auto Iris Support | NO |
| PTZ | |
| Interface | \ |
| Protocol | \ |
| Baud Rate | \ |
| Address | \ |
| Camera Features | |
| Day/Night | Auto (ICR) / Color |
| OSD Menu Language | YES |
| White Balance | Auto/Manual |
| Gain Control | Auto |
| Noise Reduction | 3D NR |
| Picture Adjustment | YES |
| WDR | DWDR |
| OSD Support | YES |
| UTC Support | Optional |
| General | |
| Housing | Metal,IP66 |
| Bracket | YES, Anti-Cut Bracket |
| Dual Voltage | NO |
| IR Cut Filter | YES |
| Heater | NO |
| Operation Temperature | -10℃ ~ +50℃ RH95% Max |
| Storage Temperature | -20℃ ~ +60℃ RH95% Max |
| Power Source | DC12V±10%, 700mA |
| Dimension | 290(W) x 92(H) x 80(D)mm |
| Weight | 1.4kg |

